BRIEF SUMMARY: CARB Diesel Fuel Specifications and Test Methods

p. 3, revised 10/13/05

This summary is not a legal document and is not intended to be used in lieu of the regulations but as an aid to understanding the specifications of the fuels' regulated properties.

| Diesel Parameter | Test Method | Specification | Designated Equivalent Limits CCR Section 2282(h) | Reproducibility |
|--|---|--|--|---|
| Sulfur Content ^{b,c,d} | ASTM D2622-94 <u>Equiv: ASTM D5453-9</u> 3 Equiv: Canadian/CGSB-3.0, No.16.0-95, Method S121 | | ' | for D2622: 0.16(x) for D5453: 0.2217(x) ^{0.92} |
| Aromatic Hydrocarbon Content ^{b,c,d} | ASTM D5186-96 (with conversion equation) | 10 v% small refiner: 20 v% | 21.0 w% | $0.75 (x)^{0.23}$ (where x = wt%) ^f |
| API Gravity | ASTM D287-82 Equiv: ASTM D4052-96(2002) ^{ε1} | not applicable | 36.9° API (minimum) | 0.5° API (at 60°F ±18°) |
| Lubricity ^{b,c,d} | ASTM D6079-02 | 520 microns | 520 microns | at 25° C = 0.127 mm at 60° C = 0.136 mm |
| Below are additional parameters | s specified for Certified Diesel Formulations (alternative fo | ormulations): | | |
| Polynuclear Aromatic Hydrocarbon Content (PAH) | ASTM D5186-96 | Specified in the formulation. | 3.5 w% | for x < 5.0 w%: $0.47 (x)^{0.45}$ for x > 10 w%: $1.77 (x)^{0.50}$ |
| Nitrogen Content | ASTM D4629-96 | Specified in the formulation. | 500 ppm | $0.85 (x)^{0.54}$ x = average of 2 test results |
| Cetane Number | ASTM D613-84 CARB using PAC Diesel Fuel Analyzer as a screen. | Specified in the formulation | 53 (minimum) | 2.5 @ 40 ^g 2.6 @ 44 ^g 3.1 @ 52 ^g 3.3 @ 56 ^g |
| | Sulfur Content ^{b,c,d} Aromatic Hydrocarbon Content ^{b,c,d} API Gravity Lubricity ^{b,c,d} Below are additional parameters Polynuclear Aromatic Hydrocarbon Content (PAH) Nitrogen Content Cetane Number | Sulfur Content ^{b,e,d} Equiv: ASTM D5453-93 Equiv: Canadian/CGSB-3.0, No.16.0-95, Method S121 Aromatic Hydrocarbon Content ^{b,e,d} ASTM D5186-96 (with conversion equation) ASTM D287-82 Equiv: ASTM D4052-96(2002) ⁶¹ Lubricity ^{b,e,d} ASTM D6079-02 Below are additional parameters specified for Certified Diesel Formulations (alternative for Polynuclear Aromatic Hydrocarbon Content (PAH) Nitrogen Content ASTM D613-84 CARB using PAC Diesel Fuel Analyzer as a screen. | Sulfur Content Equiv: ASTM D2622-94 Equiv: ASTM D5453-93 Equiv: Canadian/CGSB-3.0, No.16.0-95, Method S121 Aromatic Hydrocarbon Content ASTM D5186-96 (with conversion equation) ASTM D287-82 Equiv: ASTM D4052-96(2002) 1 | Diesel Parameter Test Method Specification Specification Specification Specification ASTM D2622-94 Equiv: ASTM D5453-93 Equiv: Canadian/CGSB-3.0, No.16.0-95, Method S121 Aromatic Hydrocarbon Content be, d ASTM D5186-96 (with conversion equation) ASTM D287-82 Equiv: ASTM D4052-96(2002) e1 Lubricity be, d ASTM D6079-02 ASTM D6079-02 Below are additional parameters specified for Certified Diesel Formulations (alternative formulations): Polynuclear Aromatic Hydrocarbon Content (PAH) Nitrogen Content ASTM D4629-96 ASTM D4629-96 ASTM D613-84 CARB using PAC Diesel Fuel Analyzer as a screen. Equivalent Limits CCR Section 2282(h) 160 ppm(before 6/1/06) 15 ppm c 160 ppm(before 6/1/06) 15 ppm (starting 6/1/06) 16 ppm (starting |

Note: for reproducibility, x = test result. $\underline{underline} = current CARB enforcement test method.$

a = CCR Section 2285 exempts qualifying military vehicles from CARB diesel fuel requirements.

b = also applies to non-vehicular diesel fuel except for locomotives and marine vessels.

c = CCR Section 2299 extends standard to apply to harborcraft in the South Coast Air Quality Management District on 1/1/06.

d = CCR Section 2299 extends standard to apply to intrastate diesel-electric locomotives and harborcraft on 1/1/07.

e = applies on June 1, 2006. Phase-in periods apply at facilities downstream from import or production facilities.

f = correlation equation: ArHC v% = (0.916)(ArHC w%) + 1.33

g = reproducibility values for intermediate and higher cetane numbers to be obtained by linear interpolation.